

List of products of harmonised standards

Code 22: ROOF COVERINGS, ROOF LIGHTS, ROOF WINDOWS, AND ANCILLARY PRODUCTS, ROOF KITS

Standard	Name	Application	Product-type	Intended use	System of attestation	Mandate
EN 490	Concrete roofing tiles and fittings for roof covering and wall cladding — Product specifications	Concrete roofing tiles and fittings for pitched roof coverings and wall cladding and lining	Concrete roofing tiles and fittings	For uses subject to reaction to fire regulations	1, 3, 4	M/121 and M/122
				For uses subject to external fire performance regulations	3, 4	
				For uses subject to regulations on dangerous substances	3	
EN 492	Fibre-cement slates and fittings — Product specification and test methods	Fibre-cement slates and fittings (with a height dimension not exceeding 850 mm) for use in roofing, internal wall finishes, external wall and ceiling finishes	Fibre-cement slates and fittings	As roofing covering subject to reaction to fire regulations	1, 3, 4	M/121 and M/122
				As roof coverings subject to external fire performance regulations	3, 4	
				As roof coverings subject to regulations on dangerous substances	3	
				As roof coverings for all other uses	4	
				As internal or external finishes in walls or ceilings subject to reaction to fire regulations	1, 3, 4	
				As internal or external finishes in walls or ceilings, as relevant, subject to regulations on dangerous substances	3	
As internal or external finishes in walls or ceilings for all other uses mentioned in the mandate	4					
EN 494	Fibre-cement profiled sheets and fittings — Product specification and test methods	Fibre-cement profiled sheets and their fibre-cement fittings for use in roofing, internal wall finishes, external wall and ceiling finishes	Flat and profiled sheets (as roof coverings)	For uses subject to reaction to fire regulations	1, 3, 4	M/121 and M/122
				For uses subject to external fire performance regulations	3, 4	
				For uses subject to regulations on dangerous substances	3	
				For uses other than those specified above	4	
			Suspended ceilings, tiles, panels	As internal or external finishes in walls or ceilings subject to reaction to fire regulations	1, 3, 4	
				As internal or external finishes in walls or ceilings, as relevant, subject to regulations on dangerous substances	3	
				As internal or external finishes in walls or ceilings for all other uses mentioned in the mandate	4	
EN 516	Prefabricated accessories for roofing — Installations for roof access — Walkways, treads and steps	Installations for roof access permanently fixed to the load-bearing construction of pitched roofs, to stand or to walk on during inspection, maintenance and repair of facilities on the roof	Walkways, treads and steps	Roof access for inclined roofs for buildings	3	M/122

Standard	Name	Application	Product-type	Intended use	System of attestation	Mandate
EN 517	Prefabricated accessories for roofing — Roof safety hooks	Roof safety situated on the surface of pitched roofs and permanently fixed to the load-bearing roof construction	Roof safety hooks	Attachement of slaters' ladders, for supporting working platforms and as anchorage points for personal protective equipment against fall for inclined roofs in buildings	3	M/122
EN 534	Corrugated bitumen sheets — Product specification and test methods	Corrugated bitumen sheets	Corrugated bitumen sheets	For uses subject to reaction to fire regulations	1, 3, 4	M/121 and M/122
				For uses subject to external fire performance regulations	3	
				For uses subject to regulations on dangerous substances	3	
				For uses other than those specified above	4	
EN 544	Bitumen shingles with mineral and/or synthetic reinforcements — Product specification and test methods	Bitumen shingles with mineral and/or synthetic reinforcements prior to them being laid on the roof	Bitumen shingles	For uses subject to reaction to fire regulations	3, 4	M/121 and M/122
				For uses subject to external fire performance regulations	3, 4	
				For uses subject to regulations in regulated substances	3	
				For uses other than those specified above	4	
EN 1013	Light transmitting single skin profiled plastics sheets for internal and external roofs, walls and ceilings — Requirements and test methods	Light transmitting single skin profiled plastics sheets for internal and external roofs, walls and ceilings. These are single skin sheets which are used as a single layer or assembled to form a multiple layer construction.	Flat and profile sheets	As roofing covering subject to reaction to fire regulations	1, 3, 4	M/121 and M/122
				As roof coverings subject to external fire performance regulations	3, 4	
				As roof coverings subject to regulations on dangerous substances	3	
				For uses other than those specified above	4	
			Panels	As internal or external finishes in walls or ceilings subject to reaction to fire regulations	1, 3, 4	
				As internal or external finishes in walls or ceilings, as relevant, subject to regulations on dangerous substances	3	
As internal or external finishes in walls or ceilings for all other uses mentioned in the mandate	4					
EN 1304	Clay roofing tiles and fittings — Product definitions and specifications	Clay roofing tiles and fittings for pitched roof coverings and internal and external wall cladding and lining	Clay roofing tiles and fittings	As roofing covering subject to reaction to fire regulations	1, 3, 4	M/121 and M/122
				As roof coverings subject to external fire performance regulations	3, 4	
				As roof coverings subject to regulations on dangerous substances	3	
				For uses other than those specified above	4	
				As internal or external finishes in walls or ceilings subject to reaction to fire regulations	1, 3, 4	

Standard	Name	Application	Product-type	Intended use	System of attestation	Mandate
				As internal or external finishes in walls or ceilings, as relevant, subject to regulations on dangerous substances	3	
				As internal or external finishes in walls or ceilings for all other uses mentioned in the mandate	4	
EN 1338	Concrete paving blocks — Requirements and test methods	Precast concrete paving blocks and complementary fittings for pedestrian use, vehicular use and roof coverings	Precast concrete paving blocks	For external uses and road finishes to cover external pedestrian and vehicular circulation areas	4	M/119 and M/122
				For internal uses including enclosed public transport premises	4	
				For roofing	4	
EN 1339	Concrete paving flags — Requirements and test methods	Precast concrete paving flags and complementary fittings that are for use in trafficked paved areas and roof coverings	Precast concrete paving flags	For external uses and road finishes to cover external pedestrian and vehicular circulation areas	4	M/119 and M/122
				For internal uses including enclosed public transport premises	4	
				For roofing	4	
EN 1340	Concrete kerb units — Requirements and test methods	Unreinforced, cement bound precast concrete kerb units, channels and complementary fittings, that are for use in trafficked paved areas and roof coverings	Unreinforced, cement bound precast concrete kerb units	For external uses and road finishes to cover external pedestrian and vehicular circulation areas	4	M/119 and M/122
				For internal uses including enclosed public transport premises	4	
				For roofing	4	
EN 1344	Clay pavers — Requirements and test methods	Rectangular and other shaped units intended as construction products in pavements mainly for exterior use, including roofs as roof paving units, but which may also be used internally	Roof pavings	For uses subject to external fire performance regulations	3,4	M/119 and M/122
				For uses subject to regulations on dangerous substances	3	
				For uses other than those specified in two families above	4	
			Rigid flooring products; paving units	For internal uses including enclosed public transport premises	1, 3, 4	
				For external uses and road finishes, to cover external pedestrian and vehicular circulation area	4	
EN 1873	Prefabricated accessories for roofing — Individual roof lights of plastics — Product specification and test methods	Rooflights made of plastic materials (e.g. GF-UP, PC, PMMA, PVC) and rooflights with upstands made of e.g. GF-UP, PVC, steel, aluminium or wood for installation in roofs. Rooflights with a rectangular or circular ground plan with an opening span (width) or diameter not larger than 2,5m and an opening length not larger than 3,0m in roof pitches up to 25°.	Rooflights	For uses subject to reaction to fire regulations	1,3,4	M/122
				For uses subject to external fire performance regulations	3, 4	
				For uses subject to regulations on dangerous substances	3	
				For other uses than those specified above	3	
				For uses subject to reaction to fire regulations	1, 3, 4	

Standard	Name	Application	Product-type	Intended use	System of attestation	Mandate
EN 12326-1	Slate and stone for discontinuous roofing and external cladding — Part 1: Specifications for slate and carbonate slate	Slate and carbonate slate for discontinuous roofing and external cladding	Roofing slates	For uses subject to resistance to fire regulations	3	M/121 and M/122
				For uses subject to external fire performance regulations	3, 4	
				As roof coverings subject to regulations on dangerous substances	4	
				As roof coverings for all other uses	4	
			Tiles	As internal or external finishes in walls or ceilings subject to reaction to fire regulations	1, 3, 4	
				As internal or external finishes in walls or ceilings, as relevant, subject to regulations on dangerous substances	3	
As internal or external finishes in walls or ceilings for all other uses mentioned in the mandate	4					
EN 12467	Fibre-cement flat sheets — Product specification and test methods	Fibre-cement flat sheets, siding shingles and planks	Suspended ceilings, tiles, panels	As internal or external finishes in walls or ceilings subject to reaction to fire regulations	1, 3, 4	M/121
				As internal or external finishes in walls or ceilings, as relevant, subject to regulations on dangerous substances	3	
				As internal or external finishes in walls or ceilings for all other uses mentioned in the mandate	4	
EN 12951	Prefabricated accessories for roofing — Permanently fixed roof ladders — Product specification and test methods	Permanently fixed ladders made of metal which are permanently installed on the load-bearing construction of pitched roofs and which may be stepped or walked on for purposes of inspection, maintenance and repair of equipment installed above the roof surface	Permanently fixed roof ladders	Roof access for inclined roofs for buildings	3	M/122
EN 14351-1	Windows and doors — Product standard, performance characteristics — Part 1: Windows and external pedestrian doorsets without resistance to fire and/or smoke leakage characteristics	Manually or power operated windows, French windows and screens	Doors and gates (with or without related hardware)	Fire/smoke compartmentation and escape routes	1	M/101 M/122 M/126 M/130
				On escape routes	1	
				Other declared specific uses and/or uses subject to other specific requirements, in particular noise, energy, tightness and safety in use	3	
				For internal communication only	4	
			Windows	Fire/smoke compartmentation and on escape routes	1	
				Any other	3	
				For uses subject to reaction to fire regulations	1, 3, 4	
				For uses subject to resistance to fire regulations (e.g. fire compartmentation)	3	

Standard	Name	Application	Product-type	Intended use	System of attestation	Mandate
			Roof windows	For uses subject to external fire performance regulations	3, 4	
				For uses contributing to stiffening the roof structure	3	
				For uses other than those specified above	3	
EN 14509	Self-supporting double skin metal faced insulating panels — Factory made products — Specification	Self-supporting double skin metal faced insulating sandwich panels, which are intended for discontinuous laying in the following applications: - roofs and roof cladding - external walls and wall cladding - walls (including partitions) and ceilings within the building envelope	Factory made sandwich panels	For uses subject to resistance to fire regulations (e.g. fire compartmentation)	3	M/121 and M/122
				As roofing covering subject to reaction to fire regulations	1, 3, 4	
				As roof coverings subject to external fire performance regulations	3, 4	
				As roof coverings subject to regulations on dangerous substances	3	
				As roof coverings for all other uses	4	
				As internal or external finishes, as complete elements, used for fire Protection of walls or ceilings	3	
				As internal or external finishes in walls or ceilings subject to reaction to fire regulations	1, 3, 4	
				As internal or external finishes in walls or ceilings, as relevant, subject to regulations on dangerous substances	3	
				As internal or external finishes in walls or ceilings for all other uses mentioned in the mandate	4	
EN 14782	Self-supporting metal sheet for roofing, external cladding and internal lining — Product specification and requirements	Self-supporting metal sheets and tiles (for non-structural applications) prefabricated for roofing and wall cladding and lining	Self-supporting metal sheets and tiles	Internal and external walls, ceilings and roofs subject to reaction to fire regulations	3, 4	M/121 and M/122
				External roofs subject to external fire performance regulations	3, 4	
				End uses subject to regulatory requirements on regulated dangerous substances	3	
				End uses other than those above	4	
EN 14783	Fully supported metal sheet and strip for roofing, external cladding and internal lining — Product specification and requirements	Metal coil, strip, and flat sheets and factory made pieces for fully supported applications in roofing and wall cladding or lining	Flat and profiled sheets	As roofing covering subject to reaction to fire regulations	1, 3, 4	M/121 and M/122
				As roof coverings subject to external fire performance regulations	3, 4	
				As roof coverings subject to regulations on dangerous substances	3	
				As roof coverings for all other uses	4	
				As internal or external finishes in walls or ceilings subject to reaction to fire regulations	1, 3, 4	
				As internal or external finishes in walls or ceilings, as relevant, subject to regulations on dangerous substances	3	

Standard	Name	Application	Product-type	Intended use	System of attestation	Mandate
				As internal or external finishes in walls or ceilings for all other uses mentioned in the mandate	4	
EN 14963	Roof coverings — Continuous rooflights of plastics with or without upstands — Classification, requirements and test methods	Continuous rooflights made of plastic materials (e.g. GF-UP, PC, PMMA, PVC) with or without bearing profiles to be used with upstands made of e.g. GF-UP, PVC, steel aluminium, wood or concrete, for laying in roofs, which serve the purpose of lighting by means of daylight and, possibly, of ventilating interior spaces by means of opening devices	Continuous rooflights	For uses subject to reaction to fire regulations	1, 3, 4	M/122
				For uses subject to external fire performance regulations	3, 4	
				For uses subject to resistance to fire regulations	3	
				For uses subject to regulations on dangerous substances	3	
				For other uses than those above mentioned	3	
EN 14964	Rigid underlays for discontinuous roofing —Definitions and characteristics	Factory made flat or profiled sheets (wood-based, fibre cement flat sheets or corrugated bituminous sheets or other materials which can be characterised as one of these materials) that are used as underlays in pitched roof constructions with discontinuously laid coverings	Roof underlays	For uses subject to reaction to fire regulations	1, 3, 4	M/122
				For uses subject to regulations on dangerous substances	3	
EN 16153	Light transmitting flat multiwall polycarbonate (PC) sheets for internal and external use in roofs, walls and ceilings — Requirements and test methods	Light transmitting flat multiwall polycarbonate (PC) sheets for internal and external use in roofs, walls and ceilings	Flat and profile sheets	As roofing covering subject to reaction to fire regulations	1, 3, 4	M/121 and M/122
				As roof coverings subject to external fire performance regulations	3, 4	
				As roof coverings subject to regulations on dangerous substances	4	
				As roof coverings for all other uses	4	
			Panels	As external finishes in ceilings subject to reaction to fire regulations	1,3,4	
				As internal or external finishes in walls or ceilings, as relevant, subject to regulations on dangerous substances	3	
EN 16240	Light transmitting flat solid polycarbonate (PC) sheets for internal and external use in roofs, walls and ceilings — Requirements and test methods	Light transmitting flat solid polycarbonate (PC) sheets for internal and external use in roofs, walls and ceilings	Flat and profile sheets	As roofing covering subject to reaction to fire regulations	1, 3, 4	M/121 and M/122
				As roof coverings subject to external fire performance regulations	3, 4	
				As roof coverings subject to regulations on dangerous substances	4	
				As roof coverings for all other uses	4	
			Panels	As external finishes in ceilings subject to reaction to fire regulations	1,3,4	
				As internal or external finishes in walls or ceilings, as relevant, subject to regulations on dangerous substances	3	